

CERTIFICATE OF ANALYSIS[®]

SKU	RLS-SOL-B64
CHEMICAL NAME	BROMOCRESOL GREEN INDICATOR
CHEMICALGRADE	LABORATORY GRADE
CAS NUMBER	76-60-8
APPEARANCE	BROWNISH LIQUID
LOT NUMBER	RLS-24106
EXPIRY DATE	10/06/2026

Warranty Certificate

<i>Test</i>	<i>Specifications</i>	<i>Results</i>
COLOUR CHANGE	YELLOW TO BLUE	CONFORMS
DENSITY	1.2g/ml Max	0.998g/ml
pH	4.0 – 5.5 pH @20°C	4.69pH @20°C
ALCOHOL INSOLUBLE MATTER	PASS TEST	PASS

RLS Chemical warrants conformance of its products against the relevant specification in good faith. In-house quality control procedures include representations provided by production/manufacturing source. A representative batch retention sample of the above-mentioned material has tested according to results above. Shelf life is based on current knowledge and holds only for correct storage in the original closed and sealed containers. Suitability of the product for a particular use or application is not guaranteed. It remains the responsibility of the user to determine such.

APPROVED DATE: 11.06.2024



Quality Control

**Quality Management ISO 9001:2015
NIST traceable calibration certified.**