

CERTIFICATE OF ANALYSIS[®]

SKU
CHEMICAL GRADE
CHEMICAL NAME
CAS NUMBER
APPEARANCE
BATCH NUMBER
EXPIRY DATE

CHE-SO4
ANALYTICAL REAGENT
SILVER NITRATE
7761-88-8
WHITE CRISTALLINE POWDER
RLS-SS002/621
7/2/2029

Warranty Certificate

<i>Test</i>	<i>Specifications</i>	<i>Results</i>
ASSAY (%)	≥98%	≥99.9%
CALCIUM (Ca)%	≤0.0002%	≤0.00019%
COPPER (Cu)%	≤0.0001%	≤0.0001%
LEAD (Pb)%	≤0.0001%	≤0.0001%
ZINC (Zn)%	≤0.0001%	≤0.0001%
CHLORIDE (Cl⁻) %	≤0.0005%	≤0.0003%
SULPHATE (SO₄²⁻) %	≤0.0005%	≤0.0004%
WATER INSOLBLE %	≤0.001%	≤0.0009%

RLS Chemical warrants conformance of its products against the relevant specification in good faith. In-house quality control procedures include representations provided by production/manufacturing source. A representative batch retention sample of the above-mentioned material has tested according to results above. Shelf life is based on current knowledge and holds only for correct storage in the original closed and sealed containers. Suitability of the product for a particular use or application is not guaranteed. It remains the responsibility of the user to determine such.

APPROVED DATE: 01.07.2024



Quality Control

Quality Management ISO 9001:2015
NIST traceable calibration certified.