

CERTIFICATE OF ANALYSIS[®]


SKU	BULK-A2
CHEMICAL NAME	ACETONE
CHEMICAL GRADE	TECHNICAL GRADE
CAS NO	67-64-1
APPEARANCE	COLOURLESS LIQUID
BATCH NUMBER	RLS-5435-1
EXPIRY DATE	11/03/2028

Warranty Certificate

<i>Test</i>	<i>Specifications</i>	<i>Results</i>
ASSAY (%)	MIN 99.5%	99.76%
ACIDITY AS CH₃COOH (%)	< 0.002%	0.0001%
BENZENE (%)	< 0.00008%	0.00003%
METHANOL & ETHANOL (%)	< 0.02%	0.0001%
WATER (%)	< 0.3%	0.2%

RLS Chemical warrants conformance of its products against the relevant specification in good faith. In-house quality control procedures include representations provided by production/manufacturing source. A representative batch retention sample of the above-mentioned material has tested according to results above. Shelf life is based on current knowledge and holds only for correct storage in the original closed and sealed containers. Suitability of the product for a particular use or application is not guaranteed. It remains the responsibility of the user to determine such.

APPROVED DATE: 27/03/2026



Quality Control

Quality Management ISO 9001:2015
NIST traceable calibration certified.