

CERTIFICATE OF ANALYSIS[®]


SKU	RLS-SOL-P93
CHEMICAL NAME	PHENOL RED INDICATOR
CHEMICAL GRADE	LABORATORY REAGENT
CAS NUMBER	143-74-8
APPEARANCE	RED SOLUTION
BATCH NUMBER	RLS-41125-1
EXPIRY DATE	4/11/2027

Warranty Certificate

<i>Test</i>	<i>Specifications</i>	<i>Results</i>
ASSAY	1 % Max.	1 %
pH RANGE (YELLOW RED)	6,8 - 8,2 pH	CONFORMS
CLARITY OF SOLUTION	passes test	CONFORMS
ABSORPTION MAXIMUM I1 (pH 1,2).	503 - 505 nm	CONFORMS
ABSORPTION MAXIMUM I2 (pH 3,0).	430 - 436 nm	CONFORMS

RLS Chemical warrants conformance of its products against the relevant specification in good faith. In-house quality control procedures include representations provided by production/manufacturing source. A representative batch retention sample of the above-mentioned material has been tested according to results above. Shelf life is based on current knowledge and holds only for correct storage in the original closed and sealed containers. Suitability of the product for a particular use or application is not guaranteed. It remains the responsibility of the user to determine such.

APPROVED DATE: 19/06/2026



Quality Control

Quality Management ISO 9001:2015
NIST traceable calibration certified.